

	Hits	Search Text	DBs
1	0	peer with clock with sett\$3	US-PGPUB; USPAT
2	8	peer with time with sett\$3	US-PGPUB; USPAT
3	2	peer same (clock with sett\$3)	US-PGPUB; USPAT
4	146	peer same ((clock or time) with sync\$)	US-PGPUB; USPAT
5	66	peer same ((clock or time) with sync\$) same network	US-PGPUB; USPAT
6	4094	(send\$3 with time) same ((clock or time) with sync\$)	US-PGPUB; USPAT
7	188	(send\$3 near3 (time or time\$1stamp)) same ((clock or time) near3 sync\$) same network	US-PGPUB; USPAT
8	146	(send\$3 near3 (time or time\$1stamp)) same ((clock or time) near3 set\$4) same network	US-PGPUB; USPAT
9	14	((send\$3 near3 (time or time\$1stamp)) same ((clock or time) near3 sync\$) same network) and ((send\$3 near3 (time or time\$1stamp)) same ((clock or time) near3 set\$4) same network)	US-PGPUB; USPAT
10	123	setting with remote with clock	US-PGPUB; USPAT
11	5	(setting with remote with clock) same network	US-PGPUB; USPAT
12	0	setting adj remote adj clock	US-PGPUB; USPAT
13	1	set adj remote adj clock	US-PGPUB; USPAT
14	19	set adj clock adj (command or message)	US-PGPUB; USPAT
15	0	((set\$4 with clock) with propogat\$5 with network)	US-PGPUB; USPAT
16	0	((set\$4 with clock) same (propogat\$5 with network))	US-PGPUB; USPAT
17	6	((set\$4 with clock) with propogat\$5)	US-PGPUB; USPAT
18	8	((set\$4 with clock) and (propogat\$5 with network))	US-PGPUB; USPAT
19	16	"5805530"	US-PGPUB; USPAT
20	851	broadcast\$3 with (set\$4 near3 (clock or time))	US-PGPUB; USPAT
21	59	broadcast\$3 with (set\$4 near3 (clock or time)) with network	US-PGPUB; USPAT
22	333	set with remote with clock	US-PGPUB; USPAT
23	42	remote near4 set near4 clock	US-PGPUB; USPAT
24	25	remote near4 setting near4 clock	US-PGPUB; USPAT
25	20	(user near3 (set\$4 near2 clock)) same broadcast\$3	US-PGPUB; USPAT

	Hits	Search Text	DBs
26	393	broadcast\$3 with synchroniz\$5 with clock	US-PGPUB; USPAT
27	65	broadcast\$3 with synchroniz\$5 with clock with network	US-PGPUB; USPAT
28	3	peer same ((clock or time) with sync\$)	EPO; JPO
29	7	broadcast\$3 with (set\$4 near3 (clock or time)) with network	EPO; JPO
30	8	remote near4 setting near4 clock	EPO; JPO
31	11	"5349344"	US-PGPUB; USPAT
32	2	updat\$3 with clock with network with (user near2 set\$4)	US-PGPUB; USPAT
33	2	updat\$3 with clock with network with ((user or manual\$3) near2 set\$4)	US-PGPUB; USPAT
34	2	((updat\$3 with clock) with ((user or manual\$3) near2 set\$4)) same network	US-PGPUB; USPAT
35	7	clock with network with ((user or manual\$3) near2 set\$4)	US-PGPUB; USPAT
36	0	updat\$3 with clock with other with ((user or manual\$3) near2 set\$4)	US-PGPUB; USPAT
37	0	updat\$3 with clock with devices with ((user or manual\$3) near2 set\$4)	US-PGPUB; USPAT
38	0	(other near3 clocks) with ((user or manual\$3) near2 set\$4)	US-PGPUB; USPAT
39	10	updat\$3 with time with network with (user near2 set\$4)	US-PGPUB; USPAT
40	19	((updat\$3 with time) with ((user or manual\$3) near2 set\$4)) same network	US-PGPUB; USPAT
41	69	((updat\$3 with (clock or time)) same ((user or manual\$3) near2 set\$4)) same network	US-PGPUB; USPAT
42	942	((set\$4 with (clock or time)) same ((user or manual\$3) near2 set\$4)) same network	US-PGPUB; USPAT
43	74	((set\$4 with (clock or time)) same ((user or manual\$3) near2 set\$4)) same network same updat\$5	US-PGPUB; USPAT
44	95	((set\$4 with (clock or time)) same ((user or manual\$3) near2 set\$4)) same network same (updat\$5 or synchron\$8)	US-PGPUB; USPAT
45	14	((user or manual\$3) near2 set\$4)) same network same ((updat\$5 or synchron\$8) near3 (clocks))	US-PGPUB; USPAT

	Hits	Search Text	DBs
46	0	((user or manual\$3) near2 set\$4)) same ((updat\$5 or synchron\$8) near3 (other adj3 clocks))	US-PGPUB; USPAT
47	8	((user or manual\$3) near2 set\$4)) same ((updat\$5 or synchron\$8) near3 (other adj3 clocks))	US-PGPUB; USPAT
48	0	((user or manual\$3) near2 set\$4)) same ((updat\$5 or synchron\$8) with (other adj3 clocks))	US-PGPUB; USPAT
49	0	((user or manual\$3) near2 set\$4)) same ((other adj3 clocks))	US-PGPUB; USPAT
50	216	((other adj3 clocks))	US-PGPUB; USPAT
51	10	((other adj3 clocks)) with (set\$5 or updat\$3)	US-PGPUB; USPAT
52	18	((other adj3 clocks)) same (set\$5 or updat\$3)	US-PGPUB; USPAT
53	77	((set\$4 with (clock or time)) same ((user or manual\$3) near2 set\$4)) same remote same (updat\$5 or synchron\$8)	US-PGPUB; USPAT
54	5	((user or manual\$3) near2 set\$4) same (remote with (updat\$5 or synchron\$8) with (clock\$1 or time\$1))	US-PGPUB; USPAT
55	243	((user or manual\$3) near2 set\$4) same (remote with (set\$4 or updat\$5 or synchron\$8) with (clock\$1 or time\$1))	US-PGPUB; USPAT
56	37	((user or manual\$3) near2 set\$4) same (remote with (set\$4 or updat\$5) with (clock\$1 or time\$1)) and (synchron\$8 with (clock\$1 or time\$1))	US-PGPUB; USPAT
57	88	((user or manual\$3) near2 set\$4) same (network with (set\$4 or updat\$5) with (clock\$1 or time\$1)) and (synchron\$8 with (clock\$1 or time\$1))	US-PGPUB; USPAT
58	10	((user or manual\$3) near2 set\$4) same (network with (broadcast\$3) with (clock\$1 or time\$1)) and (synchron\$8 with (clock\$1 or time\$1))	US-PGPUB; USPAT

	Hits	Search Text	DBs
59	35	((user or manual\$3) near2 set\$4) same (network) same (broadcast\$3) with (clock\$1 or time\$1))	US-PGPUB; USPAT
60	159	((user or manual\$3) near2 set\$4) same (broadcast\$3) same (clock\$1 or time\$1)) and (synchron\$8 with (clock\$1 or time\$1))	US-PGPUB; USPAT
61	18	(set\$4 with (system adj wide) with clocks)	US-PGPUB; USPAT
62	30	(set\$4 with (devices with network) with clocks)	US-PGPUB; USPAT
63	0	updat\$3 with ((all or other) adj2 clocks) with (network)	US-PGPUB; USPAT
64	0	set\$5 with ((all or other) adj2 clocks) with (network)	US-PGPUB; USPAT
65	21	set\$5 with ((device\$1) near2 clocks) with (network)	US-PGPUB; USPAT
66	4	updat\$5 with ((device\$1) near2 clocks) with (network)	US-PGPUB; USPAT
67	6	("4490050" "5334975" "5557585" "5848028" "5991240" "6111889").PN.	USPAT
68	3	("4886981" "5334975" "5402394").PN.	USPAT
69	3	"5848028".URPN.	USPAT
70	1	(user adj set\$5) with (global adj (clock or time))	US-PGPUB; USPAT
71	1	set\$5 with ((all or other) adj2 clocks) with (system)	US-PGPUB; USPAT
72	762	((user adj set\$5) with (clock or time)) same (broadcast\$3 or transmi\$6 or sen\$5 or push\$3)	US-PGPUB; USPAT
73	81	((user adj set\$5) with (clock or time)) same (push\$3)	US-PGPUB; USPAT
74	59	((user adj set\$5) with (clock or time)) same (broadcast\$3 or transmi\$6 or sen\$5) same network	US-PGPUB; USPAT
75	4	((user adj set\$5) with (clock or time)) same (synchroniz\$6) same network	US-PGPUB; USPAT
76	8	(user adj set\$5) same ((synchroniz\$6) with (clock or time)) same network	US-PGPUB; USPAT

	Hits	Search Text	DBs
77	40	((user adj set\$5) same ((synchroniz\$6) with (clock or time))) and network	US-PGPUB; USPAT
78	325	((user or manual\$3) adj set\$5) and (((synchroniz\$6) with (clock or time)) same network)	US-PGPUB; USPAT
79	68	((user or manual\$3) adj set\$5) with (clock or time)) and (((synchroniz\$6) with (clock or time)) same network)	US-PGPUB; USPAT
80	5	((user or manual\$3) adj set\$5) with (clock or time)) same (alert\$3 or notif\$6)) and (((synchroniz\$6) with (clock or time)) and network)	US-PGPUB; USPAT
81	34	((user or manual\$3) adj set\$5) with (clock or time)) same (event)) and (((synchroniz\$6) with (clock or time)) and network)	US-PGPUB; USPAT
82	212	((user or manual\$3) adj set\$5) with (clock or time)) same (alert\$3 or notif\$6 or event)) and network	US-PGPUB; USPAT
83	21	((user or manual\$3) adj set\$5) with (clock or time)) same (alert\$3 or notif\$6)) and (((synchroniz\$6 or updat\$3) with (clock or time)) and network)	US-PGPUB; USPAT
84	50	((user or manual\$3) adj (chang\$3 or set\$5)) with (clock or time))) same ((synchroniz\$6 or updat\$3) with (clock or time)) same (network or devices)	US-PGPUB; USPAT
85	1	((user or manual\$3) adj (chang\$3 or set\$5)) with (clock or time))) same ((synchroniz\$6 or updat\$3) with (clock or time)) same (appliances)	US-PGPUB; USPAT
86	136	((user or manual\$3) adj (chang\$3 or set\$5)) with (clock or time))) same ((synchroniz\$6 or updat\$3) with (clock or time)) same (system)	US-PGPUB; USPAT
87	21	peer with clock with synchroniz\$6	US-PGPUB; USPAT
88	2	peer with clock with updat\$6	US-PGPUB; USPAT
89	24	peer with time with broadcast\$3	US-PGPUB; USPAT
90	241	((user or manual\$3) adj set\$5) with (clock or time)) same network	US-PGPUB; USPAT

	Hits	Search Text	DBs
91	100	((user or manual\$3) adj set\$5) near4 (clock or time)) same network	US-PGPUB; USPAT
92	125	(time near2 chang\$3) with (alert)	US-PGPUB; USPAT
93	2	((time near2 chang\$3) with (alert)) same ((synchroniz\$6 or updat\$5) with network)	US-PGPUB; USPAT
94	0	((time near2 chang\$3) with (alert)) same ((synchroniz\$6 or updat\$5) with clocks)	US-PGPUB; USPAT
95	1	((time near2 chang\$3) with (alert)) same ((synchroniz\$6 or updat\$5) with devices)	US-PGPUB; USPAT
96	2	((time near2 chang\$3) with (alert)) same ((synchroniz\$6 or updat\$5) same network)	US-PGPUB; USPAT
97	25	((time near2 chang\$3) with (event)) same ((synchroniz\$6 or updat\$5) same network)	US-PGPUB; USPAT
98	268	set\$5 with ((each or every) adj clocks)	US-PGPUB; USPAT
99	3	set\$5 with ((each or every) adj clocks) with network	US-PGPUB; USPAT
100	0	updat\$3 with clock with network with (user near2 set\$4)	EPO; JPO
101	3	broadcast\$3 with synchroniz\$5 with clock with network	EPO; JPO
102	4	(set\$4 with (devices with network) with clocks)	EPO; JPO
103	5	set\$5 with ((device\$1) near2 clocks) with (network)	EPO; JPO
104	0	peer with clock with (synchroniz\$6 or updat\$3 or broadcast\$5)	EPO; JPO
105	0	((time near2 chang\$3) with (event)) same ((synchroniz\$6 or updat\$5) same network)	EPO; JPO
106	30	set\$5 with ((each or every) adj clocks)	EPO; JPO
107	722	((updat\$4 near3 (time or clock)) with interrupt\$6)	US-PGPUB; USPAT
108	4220	((updat\$4 or set\$4) near3 (time or clock)) with interrupt\$6)	US-PGPUB; USPAT
109	3208	((updat\$4 or set\$4) near2 (time or clock)) with interrupt\$6)	US-PGPUB; USPAT

	Hits	Search Text	DBs
123	9	((updat\$4 or set\$4) near2 (time or clock)) with receiv\$5) same (interrupt\$6 with (program or application or routine)) same synchroniz\$6	US-PGPUB; USPAT
124	0	((updat\$4 or set\$4) near2 (time or clock)) with receiv\$5) same (interrupt\$6 with (program or application or routine)) same synchroniz\$6	EPO; JPO